



It's PG Bison.



PG BISON

Availability List January 2024

PG Bison Requirements of a Direct Customer

To be our Direct Customer you must:

- Qualify for credit
 - PG Bison recommends a minimum credit facility of **R1.5 million**.
 - Your credit facility must cover the cost of two full 36 ton/50m³ loads of your typical basket of goods, ensuring sufficient credit to cover the purchase of a full load in the month and then cover the purchase of the next full load in the following month, before payment for the first load becomes due at the end of the 30-day terms.
- Place orders in full pack sizes, i.e. no broken bundles
- Place orders **every month** with regularity and continuously
- **Order a minimum volume equivalent to one full 36 ton/50m³ load per month**

For all products with **BisonBord® substrate**

- Order a **minimum of 16 tons/24m³ per order per delivery address**
 - Your order may only be split across multiple delivery addresses if each additional request for delivery meets the 16 tons/24m³ minimum requirement

For all products with **SupaWood® substrate**

- Order a **minimum of 8 tons/12m³ per order per delivery address**
 - Your order may only be split across multiple delivery addresses if each additional request for delivery meets the 8 tons/12m³ minimum requirement
- Have premises that can accommodate a 36 ton interlink vehicle with regards to entrance, turning and exit
- Own or have immediate and unrestricted access to a forklift
 - Ad hoc hiring or borrowing of forklifts does not qualify
 - Your forklift must have minimum lifting capacity of 3.5 tons
 - Your forklift must have minimum fork length of 1.5 metres
 - Your forklift mast must access the top bundle of fully loaded interlink vehicle.

PLEASE NOTE

- We strive to process and deliver orders as per the substrate minimum order lots in which the orders are placed, however production schedules, site specifics and load configurations may result in part deliveries of less than the substrate minimum order lots.
- Ordering in full 36 tons/50m³ loads to a single delivery address ensures shorter lead times.
- No collections at any PG Bison site are permitted.
- Customer's credit status, business location, volume, range of products purchased and logistical requirements to service are also factors taken into consideration in the possible granting of an account facility.

Abbreviation of MTS / MTO Disclaimer

MTO - The product is made to order and subject to a quoted lead time, based on supply chain parameters.

MTS - The product is made and kept in stock to ensure as short a lead time as possible. While every effort is made to ensure stock on the floor, unforeseen or unplanned events, such as spikes in demand or delays from suppliers may deplete stock. The stock is replenished as soon as is practicable.



PG Bison Requirements for an Export Customer – Road Freight

To be a direct Export Customer of ours, you must:

- Order a minimum volume quantity equivalent to one full 34 ton/48 m³ load
- Place all orders for additional volume, over and above the first truckload, in multiples of full 34 ton/48m³ load truck loads
 - Only full truckload orders will be accepted and processed
- Have premises that can accommodate a 34 ton interlink vehicle with regards to entrance, turning circle and exit
- Own or have immediate and unrestricted access to a forklift
- Place orders at least every second month with regularity and continuously
- Place orders in full pack sizes, i.e., no broken bundles
 - Arrange for your own transport and cover all costs **Ex Works (EXW)** PG Bison Boksburg, including transport and duties

Also note:

- Payment must reflect in our bank account before products are released on MTS items
- Payment must reflect in our bank account before we start production on MTO items

PG Bison Requirements of an Export Customer – Sea Freight

To be a direct Export Customer of ours, you must:

- Order a minimum volume quantity equivalent to two full 20 foot containers
- Place all orders for additional volume, over and above the first two containers, in multiples of full 20 foot container loads
 - Only full container load orders will be accepted and processed
- Place orders with regularity and continuously
- Place orders in full pack sizes, i.e., no broken bundles

Also note:

- All PG Bison sea freight prices are quoted **Free on Board (FOB)** as a minimum
- Sea freight orders are only delivered to PG Bison-nominated packing facilities
- Payment must reflect in our bank account before products are released on MTS items
- Payment of 50% of the value of the order must reflect in our bank account before we start production on MTO items

PLEASE NOTE

- We strive to process and manufacture orders as per customer requirements. However, production schedules, site specifics and cross-docking loads may result in delays to the collection date.
- The customer's credit status, business location, volume, range of products purchased and logistical requirements to service are also factors taken into consideration in the possible granting of an account facility.
- PG Bison reserves the right to erect branding on the interior and/or exterior of customer premises, site-dependent and in consultation with you, the customer.

Abbreviation of MTS / MTO Disclaimer

MTO - The product is made to order and subject to a quoted lead time based on supply chain parameters.

MTS - The product is made and kept in stock to ensure a short lead time. While every effort is made to ensure stock is on the floor, unforeseen or unplanned events, such as spikes in demand or supplier delays, may deplete stock. The stock is replenished as soon as production schedules allow.



Index

MelaWood SupaGloss®	5
MelaWood SupaMatt®	6
MelaWood SupaTexture®	7
MelaWood® Demand range on BisonBord®	8
MelaWood® Value range on BisonBord®	10
MelaWood® Accent range on BisonBord®	12
MelaWood® on SupaWood®	14
MelaWood® 12x6 Range	16
Formica® LifeSeal® Worktops Gloss range	17
Formica® LifeSeal® Worktops Textured range	17
DecoBord®	18
BisonBord®	19
BisonBord® MR (E1) Moisture Resistant	19
BisonLam®	20
BisonLam® MR (E1) Moisture Resistant	21
BisonLam® Shelving	21
SupaWood®	22
SupaLam®	22

CUSTOMER SERVICE CENTRE **0860 579 196**

JOHANNESBURG **011 897 5200**

CAPE TOWN **087 357 7989**

DURBAN **087 350 0874**

EXPORTS **011 897 5200**



BBBEE Level 3

MelaWood SupaGloss®

MelaWood SupaGloss® uses a MelaWood® on SupaWood® core with a PUR UV-cured gloss coat

MelaWood SupaGloss® is a single face gloss with matching Peen backer

MelaWood SupaGloss® is supplied with a protective film on the gloss surface

MelaWood SupaGloss® sold in pack sizes only

Thickness	Pack Size	Tonnage	Sheet size	Availability
16mm	5	0.38 tons	2750mm x 1840mm	MTS
16mm	10	0.65 tons	2750mm x 1840mm	MTS
16mm	20	1.21 tons	2750mm x 1840mm	MTS

Design

American Walnut®

Azzano™

Banbridge™ 

Calais®

Caldera™

Candy Red®

Cappuccino™

Caraz™

Coimbra™

Congo™

Dunblane Grey™

Folkstone Grey®

Iceberg White™

Kalapana™

Kara Blu™ 

Muidan™ 

Napoca™

Naran™ 

Petrol Blue™

Storm Grey™

Summer White™

Super Black™

Treviso™

Tunari™ 

Abbreviations:

PUR Reinforced polyurethane using higher-weight polyurethane with UV-curing and cross-linking

UV Ultra Violet

MTS Make To Stock

MelaWood SupaMatt®







MelaWood SupaMatt® uses a MelaWood® on SupaWood® core with a UV-cured matt coat

MelaWood SupaMatt® is a single face matt with matching Natural Touch backer

MelaWood SupaMatt® is supplied with a protective film on the matt surface

MelaWood SupaMatt® sold in pack sizes only

Thickness	Pack Size	Tonnage	Sheet size	Availability
16mm	5	0.38 tons	2750mm x 1840mm	MTS
16mm	10	0.65 tons	2750mm x 1840mm	MTS

Design
Azzano®
Banbridge™ 
Caldera™
Caraz™
Congo™
Dunblane Grey™
Folkstone Grey™
Iceberg White™
Kalapana™
Kara Blu™ 
Muidan™ 
Naran™ 
Petrol Blue™
Storm Grey™
Summer White™ 
Super Black™
Tunari™ 

Abbreviations:

MTS Make To Stock

UV Ultra Violet

MelaWood SupaTexture®

MelaWood SupaTexture® uses a SupaWood® core

MelaWood SupaTexture® has a deep structure on both faces

MelaWood SupaTexture® sold in pack sizes only

Thickness	Pack Size	Tonnage	Sheet size	Availability
16mm	10	0.65 tons	2750mm x 1840mm	MTS
16mm	20	1.21 tons	2750mm x 1840mm	MTS

Design

Banbridge™ 

Calais™

Napoca®

Treviso®

Tunari™ 

Abbreviations:

MTS Make To Stock




MelaWood® Demand Range

MelaWood® décor on BisonBord® core

MelaWood® sold in pack sizes only

Thickness	Pack size	Tonnage	Sheet size	MTO minimum quantity
16mm	30	1.66 tons	2750mm x 1840mm	60
18mm	30	1.83 tons	2750mm x 1840mm	60
22mm	25	1.85 tons	2750mm x 1840mm	50
32mm	15	1.57 tons	2750mm x 1840mm	30

Key:

-  MTS range item in recommended finish & standard thickness
-  Item available in alternate finish and / or thickness, without requiring minimum order quantity
- MIN MTO item requiring minimum order quantity of two stacks, delivered in single delivery
-  Item not currently produced; commercial discussion required

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	Finish	Thickness			
		16mm	18mm	22mm	32mm
Anchor Point™	Natural Touch™	◆	///		
Arden™	Linear™	MIN			
Arden®	Natural Touch™	◆	///	MIN	
Camden®	Linear™	◆	///		
Coimbra®	Ashwood™	///			
Coimbra®	Fusion™	MIN			
Coimbra®	Linear™	◆	///	MIN	MIN
Coimbra®	Natural Touch™	MIN			
Coimbra®	Peen™	///		///	///
Esperanza Oak®	Fusion™	///			
Esperanza Oak®	Linear™	◆	///		MIN
Esperanza Oak®	Natural Touch™	///	MIN	MIN	MIN
Esperanza Oak®	Peen™	///		MIN	
Greythorne®	Fusion™	◆			
Greythorne®	Linear™	MIN		MIN	

MelaWood® Décor Range continued

MelaWood® décor on BisonBord® core

MelaWood® sold in pack sizes only

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	Finish	Thickness			
		16mm	18mm	22mm	32mm
Lanza Oak®	Fusion™	MIN			
Lanza Oak®	Linear™	◆	///		
Lanza Oak®	Natural Touch™	///			
Lanza Oak®	Peen™	///			
Monument Oak™	Fusion™	///			
Monument Oak™	Linear™	◆	///	MIN	
Monument Oak™	Natural Touch™	///			
Monument Oak™	Peen™	///		///	MIN
Vardo®	Linear™	MIN			
Vardo®	Natural Touch™	◆	///	MIN	
Verzasca Oak®	Linear™	◆	///	MIN	
Verzasca Oak®	Natural Touch™	///			
Verzasca Oak®	Peen™	///		MIN	MIN

Abbreviations:

MTO Make To Order

MTS Make To Stock

MelaWood® Value Range

MelaWood® décor on BisonBord® core

MelaWood® sold in pack sizes only

Thickness	Pack size	Tonnage	Sheet size	MTO minimum quantity
16mm	30	1.66 tons	2750mm x 1840mm	60
18mm	30	1.83 tons	2750mm x 1840mm	60
22mm	25	1.85 tons	2750mm x 1840mm	50
32mm	15	1.57 tons	2750mm x 1840mm	30

Key:

- ◆ MTS range item in recommended finish & standard thickness
- /// Item available in alternate finish and / or thickness, without requiring minimum order quantity
- MIN MTO item requiring minimum order quantity of two stacks, delivered in single delivery
- Item not currently produced; commercial discussion required

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	Finish	Thickness			
		16mm	18mm	22mm	32mm
African Wenge®	Ashwood™	///			
African Wenge®	Fusion™	◆	///		
African Wenge®	Linear™	///	///	MIN	
African Wenge®	Peen™	///	MIN	MIN	MIN
Alegria™ <small>NEW</small>	Linear™	◆			
American Walnut™	Ashwood™	///			
American Walnut™	Fusion™	◆	///		MIN
American Walnut™	Linear™		///		
American Walnut™	Peen™	///		MIN	MIN
Black Cherry®	Ashwood™	///			
Black Cherry®	Fusion™	MIN			
Black Cherry®	Linear™	///			
Black Cherry®	Natural Touch™	///	///		
Black Cherry®	Peen™	◆			
Brookhill®	Fusion™	◆	///	MIN	MIN
Brookhill®	Linear™	MIN			
Burgan Mahogany®	Ashwood™	///			
Burgan Mahogany®	Linear™	///			
Burgan Mahogany®	Peen™	◆		MIN	MIN
Cadbury Oak®	Fusion™	///	///		
Cadbury Oak®	Linear™	///	///	MIN	
Cadbury Oak®	Peen™	◆		MIN	MIN

MelaWood® Value Range continued

MelaWood® décor on BisonBord® core

MelaWood® sold in pack sizes only

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	Finish	Thickness			
		16mm	18mm	22mm	32mm
Harvard Cherry®	Ashwood™	MIN			
Harvard Cherry®	Fusion™	◆	///		
Harvard Cherry®	Linear™	///	///	MIN	
Harvard Cherry®	Natural Touch™	MIN			
Harvard Cherry®	Peen™	///		MIN	MIN
Haven®	Fusion™	◆	///	MIN	
Haven®	Linear™	MIN			
Kirkwall™ <small>NEW</small>	Linear™	◆			
Lockeport®	Linear™	◆	///		
Luca Polenta™ <small>NEW</small>	Fusion™	◆			
Luca Urban™ <small>NEW</small>	Fusion™	◆			
Natural Oak®	Ashwood™	MIN	MIN		
Natural Oak®	Linear™	MIN			
Natural Oak®	Natural Touch™	///			
Natural Oak®	Peen™	◆		MIN	MIN
Nosara™ <small>NEW</small>	Linear™	◆			
Shale Oak™	Ashwood™	///			
Shale Oak™	Linear™	///			
Shale Oak™	Natural Touch™	///	///		
Shale Oak™	Peen™	◆		MIN	
Stonetown™	Linear™	◆	///		
Stonetown™	Natural Touch™	MIN			
Windsor Cherry®	Ashwood™	///	MIN		
Windsor Cherry®	Linear™	///			
Windsor Cherry®	Peen™	◆		MIN	MIN

Abbreviations:

MTO Make To Order

MTS Make To Stock

MelaWood® Accent Range

MelaWood® décor on BisonBord® core

MelaWood® sold in pack sizes only

Thickness	Pack size	Tonnage	Sheet size	MTO minimum quantity
16mm	30	1.66 tons	2750mm x 1840mm	60
18mm	30	1.83 tons	2750mm x 1840mm	60
22mm	25	1.85 tons	2750mm x 1840mm	50
32mm	15	1.57 tons	2750mm x 1840mm	30

Key:

- ◆ MTS range item in recommended finish & standard thickness
- /// Item available in alternate finish and / or thickness, without requiring minimum order quantity
- MIN MTO item requiring minimum order quantity of two stacks, delivered in single delivery
- Item not currently produced; commercial discussion required

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	Finish	Thickness			
		16mm	18mm	22mm	32mm
Cappuccino™	Linear™	◆			
Cappuccino™	Peen™	◆	///		
Caraz®	Linear™	MIN			
Caraz®	Peen™	◆	///		
Congo®	Linear™	◆			
Congo®	Peen™	◆	///	MIN	MIN
Dunblane Grey™	Linear™	MIN			
Dunblane Grey™	Peen™	◆	///		
Folkstone Grey™	Ashwood™	///			
Folkstone Grey™	Linear™	◆			
Folkstone Grey™	Peen™	◆	///	///	///
Iceberg White™	Linear™	◆			
Iceberg White™	Peen™	◆	///	///	MIN
Kalapana™	Linear™	MIN			
Kalapana™	Peen™	◆	///		
Kara Blu™ 	Peen™	◆			

MelaWood® Accent Range continued

MelaWood® décor on BisonBord® core

MelaWood® sold in pack sizes only

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	Finish	Thickness					
		16mm	18mm	22mm	32mm		
Muidan™ <small>NEW</small>	Peen™	◆					
Naran™ <small>NEW</small>	Peen™	◆					
Petrol Blue®	Linear™	◆					
Petrol Blue®	Peen™	◆				///	
Storm Grey™	Ashwood™	MIN					
Storm Grey™	Linear™	◆					
Storm Grey™	Peen™	◆	///	///	///		
Super Black®	Ashwood™	///					
Super Black®	Linear™	◆				///	MIN
Super Black®	Peen™	◆				///	///

Abbreviations:

MTO Make To Order

MTS Make To Stock




MelaWood® on SupaWood®

MelaWood® décor on SupaWood® core

MelaWood® sold in pack sizes only

Thickness	Pack size	Tonnage	Sheet size	MTO minimum quantity
16mm	30	1.76 tons	2750mm x 1840mm	60
18mm	30	2.04 tons	2750mm x 1840mm	60
22mm	25	1.99 tons	2750mm x 1840mm	50

Key:

-  MTS range item in recommended finish & standard thickness
-  Item available in alternate finish and / or thickness, without requiring minimum order quantity
- MIN MTO item requiring minimum order quantity of two stacks, delivered in single delivery
-  Item not currently produced; commercial discussion required

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	Finish	Thickness		
		16mm	18mm	22mm
African Wenge™	Fusion™	MIN	MIN	
African Wenge™	Natural Touch™	MIN		
African Wenge™	Peen™	MIN		
American Walnut™	Fusion™		MIN	
American Walnut™	Natural Touch™	MIN		
American Walnut™	Peen™	MIN		
Arden™	Natural Touch™	MIN		
Black Cherry™	Linear™	MIN		
Black Cherry™	Peen™	MIN		
Brookhill™	Fusion™	MIN		
Burgan Mahogany™	Linear™	MIN		
Burgan Mahogany™	Peen™	MIN		
Cadbury Oak™	Natural Touch™	MIN		
Cappuccino™	Linear™	MIN		
Cappuccino™	Peen™	MIN		
Coimbra™	Linear™	MIN		
Coimbra™	Peen™	MIN		
Dunblane Grey™	Peen™	MIN		MIN
Esperanza Oak™	Linear™	MIN		
Esperanza Oak™	Peen™	MIN		MIN
Folkstone Grey™	Peen™		◆	
Greythorne™	Fusion™	MIN		

WITH
ANTI-BACTERIAL
ADDITIVE



MelaWood® on SupaWood® continued

MelaWood® décor on SupaWood® core

MelaWood® sold in pack sizes only

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	Finish	Thickness		
		16mm	18mm	22mm
Harvard Cherry™	Fusion™		MIN	
Harvard Cherry™	Natural Touch™	MIN		
Harvard Cherry™	Peen™	MIN		
Haven™	Fusion™	MIN		
Iceberg White™	Linear™	MIN		
Iceberg White™	Peen™	◆		
Kalapana™	Peen™	MIN		
Lanza Oak™	Linear™	MIN		
Monument Oak™	Linear™	MIN		
Monument Oak™	Natural Touch™	MIN		
Monument Oak™	Peen™	MIN		
Natural Oak™	Peen™	◆		
Shale Oak™	Linear™	MIN		
Shale Oak™	Peen™	MIN		
Storm Grey™	Linear™	MIN		
Storm Grey™	Peen™	◆		
Super Black™	Peen™	MIN		MIN
Verzasca Oak™	Linear™	MIN		
Verzasca Oak™	Peen™	MIN		
Windsor Cherry™	Linear™	MIN		
Windsor Cherry™	Peen™	MIN	MIN	

Abbreviations:

MTO Make To Order

MTS Make To Stock



WITH
ANTI-BACTERIAL
ADDITIVE



MelaWood® 12x6 Range

MelaWood® décor on BisonBord® core



MelaWood® on BisonBord® in 3660mm x 1840mm sheet size for any design, other than those listed in the table below, is subject to a quoted lead time and a minimum order quantity of 240 boards per design, delivered in a single delivery

MelaWood® sold in pack sizes only

12x6 Range on BisonBord® Core

Thickness	Pack size	Tonnage	Sheet size	MTO minimum quantity
16mm	30	2.21 tons	3660mm x 1840mm	60
22mm	25	2.49 tons	3660mm x 1840mm	50
32mm	15	2.09 tons	3660mm x 1840mm	30

Key:

-  MTS range item in recommended finish & standard thickness
- MIN MTO item requiring minimum order quantity of two stacks, delivered in single delivery
-  Item not currently produced; commercial discussion required

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	Finish	Thickness		
		16mm	22mm	32mm
Iceberg White™	Peen™	◆		MIN
Natural Oak™	Peen™	◆	MIN	MIN

Abbreviations:

- MTO Make To Order
- MTS Make To Stock






Formica® LifeSeal® Worktops

Formica high pressure laminate on BisonBord® core






Formica® LifeSeal® Worktops sold in pack sizes only

Gloss Range

Design					
Akashi™ 	Antares™ 	Aquila®	Cassiopeia™ 	Catalan®	Moreno™
Tucana®	Carina®	Comet Granite®	Kristall®	Mocha Granite™	Rosetta™
Vento Blu®					

Thickness	Pack Size	Sheet sizes & tonnage		Availability
		3660mm x 600mm	3660mm x 900mm	
		Postform	Postform	
		1 long edge	2 long edges	
32mm	5	0.26 tons		MTO
32mm	20	0.95 tons		MTS
32mm	5		0.39 tons	MTS

Textured Range

Design					
Black™	Black Slate™	Brooklyn Loft™	Comet Granite™	Downtown®	Dunblane Grey™ 
Lannach™ 	Malbacco™ 	Martinique™ 	Saxon Oak®	Torra™	Volans™ 
White™	Woodland Fusion®				

Thickness	Pack Size	Sheet sizes & tonnage		Availability
		3660mm x 600mm	3660mm x 900mm	
		Postform	Postform	
		1 long edge	2 long edges	
32mm	5	0.26 tons		MTO
32mm	20	0.95 tons		MTS
32mm	5		0.39 tons	MTS

Abbreviations:

MTO Make To Order

MTS Make To Stock

DecoBord®

Paper foil on BisonBord® core

DecoBord® sold in pack sizes only

DecoBord® is a MTO product

Thickness	Pack Size	Design	Sheet sizes & tonnage	Availability
			2750mm x 1840mm	
16mm	30	Brown and White Kiaat	1.62 tons	MTO
16mm	30	Italian Walnut	1.62 tons	MTO
Finish				
Recoatable				

Quotations on non-standard MTO items

Any design currently available from South African foil merchant catalogues can be processed

Order quantity must consume full rolls - depending on supplier, each roll can yield between 2800m² and 3500m² including 8% waste factor

Procurement process will commence only once firm orders have been received

Order quantities must adhere to pack sizes per line item

Total order will be executed in one run

Deliveries may be spread over a maximum of 60 days

Price and lead time upon quotation and is dependent on foil availability and setup times

Abbreviations:

MTO Make To Order

BisonBord®

BisonBord® sold in pack sizes only

Thickness	Pack size	Sheet sizes & tonnage	Availability	Sheet sizes & tonnage	Availability
		2750mm x 1840mm		3660mm x 1840mm	
9mm	50	1.64 tons	MTO	n/a	n/a
12mm	40	1.62 tons	MTS	n/a	n/a
16mm	30	1.50 tons	MTS	2.06 tons	MTS
18mm	30	1.73 tons	MTS	n/a	n/a
22mm	25	1.76 tons	MTS	2.34 tons	MTS
32mm	15	1.49 tons	MTS	1.98 tons	MTS

BisonBord® MR (E1) Moisture Resistant

BisonBord® MR E1 is made to an E1 specification

BisonBord® MR E1 is an MTO product

BisonBord® MR E1 sold in pack sizes only

Thickness	Pack size	Sheet sizes & tonnage	Availability
		2750mm x 1840mm	
12mm	40	1.64 tons	MTO
16mm	30	1.64 tons	MTS
18mm	30	1.81 tons	MTO

Abbreviations:

- E1 European standard for low formaldehyde emissions
- MR Moisture Resistant
- MTO Make To Order; Minimum run quantities dependent
- MTS Make To Stock

BisonLam®

White melamine-impregnated decor on BisonBord® core

BisonLam® sold in pack sizes only

Thickness	Pack size	Sheet sizes & tonnage	Sheet sizes & tonnage	MTO minimum quantity
		2750mm x 1840mm	3660mm x 1840mm	
12mm	40	1.75 tons	n/a	n/a
16mm	30	1.66 tons	2.20 tons	60
18mm	30	1.83 tons	n/a	n/a
22mm	25	1.85 tons	2.47 tons	50
32mm	15	1.57 tons	2.08 tons	30

Key:

- ◆ MTS range item in recommended finish & standard thickness
- MIN MTO item requiring minimum order quantity of two stacks, delivered in single delivery
- Item not currently produced; commercial discussion required

Design	Finish	Sheet Size				
		2750mm x 1840mm				
		Thickness				
		12mm	16mm	18mm	22mm	32mm
Picco White™	Strata™	MIN	◆	◆	◆	◆
Super White™	Ashwood™	■	◆	■		
Super White™	Peen™	MIN	◆	MIN	MIN	MIN
		Sheet Size				
		3660mm x 1840mm				
		Thickness				
		12mm	16mm	18mm	22mm	32mm
Picco White™	Strata™	■	◆	■	MIN	MIN
Super White™	Peen™	■	◆	■	MIN	MIN

Abbreviations:

- MTO Make To Order
- MTS Make To Stock

BisonLam® MR (E1) Moisture Resistant

White melamine-impregnated decor on BisonBord® MR E1 core

BisonLam® MR E1 is made to an E1 specification

BisonLam® MR E1 sold in pack sizes only

Thickness	Pack size	Tonnage	Sheet size	MTO minimum quantity
16mm	30	1.74 tons	2750mm x 1840mm	60

Key:

- ◆ MTS range item in recommended finish & standard thickness
- MIN MTO item requiring minimum order quantity of two stacks, delivered in single delivery
- Item not currently produced; commercial discussion required

Design	Finish	Thickness				
		12mm	16mm	18mm	22mm	32mm
Picco White™	Strata™		◆			
Super White™	Peen™			MIN		

BisonLam® Shelving

Picco White™ in Strata™ finish on BisonBord® core with white edging strip applied

BisonLam® Shelving sold in pack sizes only

Thickness	Pack size	Tonnage	Length	Width	Availability
16mm	30	0.19 tons	1830mm	300mm	MTO
16mm	30	0.24 tons	1830mm	380mm	MTO
16mm	30	0.28 tons	1830mm	455mm	MTO
16mm	30	0.33 tons	1830mm	530mm	MTO
16mm	30	0.37 tons	1830mm	610mm	MTO
16mm	30	0.28 tons	2750mm	300mm	MTO
16mm	30	0.42 tons	2750mm	455mm	MTO
16mm	30	0.48 tons	2750mm	530mm	MTO
16mm	30	0.55 tons	2750mm	610mm	MTO

Abbreviations:

- E1 European standard for low formaldehyde emissions
- MR Moisture Resistant
- MTO Make To Order
- MTS Make To Stock; Minimum run quantities dependent

SupaWood®

SupaWood® sold in pack sizes only

Thickness	Pack size	Sheet size & tonnage	Availability	Sheet size & tonnage	Availability
		2750mm x 1840mm		3660mm x 1840mm	
3mm White (S/F)	160	2.36 tons	MTS	n/a	
3mm	160	2.15 tons	MTS	n/a	
6mm	80	1.91 tons	MTS	n/a	
9mm	50	1.72 tons	MTS	n/a	
12mm	40	1.78 tons	MTS	2.37 tons	MTO
16mm	30	1.64 tons	MTS	2.18 tons	MTS
18mm	30	1.92 tons	MTS	2.55 tons	MTO
22mm	25	1.88 tons	MTS	2.50 tons	MTO
30mm	15	1.62 tons	MTS	2.16 tons	MTO

White Single Face (S/F) SupaWood® has white (DecoBord®) laquered paper foil surface

SupaLam®

White melamine-impregnated decor on SupaWood® core

SupaLam® sold in pack sizes only

Thickness	Pack size	Surface	Tonnage	Sheet size	MTO minimum quantity
12mm	40	Double face	1.85 tons	2750mm x 1840mm	80
16mm	30	Single face	1.71 tons	2750mm x 1840mm	60
16mm	30	Double face	1.71 tons	2750mm x 1840mm	60
18mm	30	Single face	1.98 tons	2750mm x 1840mm	60
18mm	30	Double face	1.99 tons	2750mm x 1840mm	60

Key:

- ◆ MTS range item in recommended finish & standard thickness
- /// Item available in alternate finish and / or thickness, without requiring minimum order quantity
- MIN MTO item requiring minimum order quantity of two stacks, delivered in single delivery

Design	Finish	Sheet Size				
		2750mm x 1840mm				
		Thickness				
		12mm D/f	16mm S/f	16mm D/f	18mm S/f	18mm D/f
Picco White™	Strata™	MIN	◆	◆	◆	///

Abbreviations:

- MTO Make To Order
- MTS Make To Stock

CUSTOMER SERVICE CENTRE 0860 579 196
JOHANNESBURG 011 897 5200
CAPE TOWN 087 357 7989
DURBAN 087 350 0874
EXPORTS 011 897 5200



pgbison.co.za

PG Bison is a division of KAP Limited
PG Bison is a member of Proudly South African
PG Bison is a member of the Kitchen Specialists Association (KSA)



BBBEE Level 3

