

It's
PG Bison.

AVAILABILITY LIST



MAY 2026

 PG BISON

PG BISON REQUIREMENTS OF A DIRECT CUSTOMER

To be our Direct Customer you must:

- Qualify for credit
 - PG Bison recommends a minimum credit facility of **R2 million**.
 - Your credit facility must cover the cost of two full 36 ton/50m³ loads of your typical basket of goods, ensuring sufficient credit to cover the purchase of a full load in the month and then cover the purchase of the next full load in the following month, before payment for the first load becomes due at the end of the 30-day terms.
- Place orders in full pack sizes, i.e. no broken bundles
- Place orders **every month** with regularity and continuously
- **Order a minimum volume equivalent to one full 36 ton/50m³ load per month**

For all products with **BisonBord®** substrate

- Order a **minimum of 16 tons/24m³ per order per delivery address**
 - Your order may only be split across multiple delivery addresses if each additional request for delivery meets the 16 tons/24m³ minimum requirement

For all products with **SupaWood®** substrate

- Order a **minimum of 8 tons/12m³ per order per delivery address**
 - Your order may only be split across multiple delivery addresses if each additional request for delivery meets the 8 tons/12m³ minimum requirement

For all **Formica®** and **Luxora™** worktop products

- Order a **minimum of 16 tons/24m³** either as worktop items entirely or in combination with other BisonBord® substrate products, per order per delivery address
 - Your order may only be split across multiple delivery addresses if each additional request for delivery meets the above 16 tons/24m³ minimum requirement
- Have premises that can accommodate a 36 ton interlink vehicle with regards to entrance, turning and exit
- Own or have immediate and unrestricted access to a forklift
 - Ad hoc hiring or borrowing of forklifts does not qualify
 - Your forklift must have minimum lifting capacity of 3.5 tons
 - Your forklift must have minimum fork length of 1.5 metres
 - Your forklift mast must access the top bundle of fully loaded interlink vehicle.

PLEASE NOTE

- We strive to process and deliver orders as per the substrate minimum order lots in which the orders are placed, however production schedules, site specifics and load configurations may result in part deliveries of less than the substrate minimum order lots.
- Ordering in full 36 tons/50m³ loads to a single delivery address ensures shorter lead times.
- No collections at any PG Bison site are permitted.
- Customer's credit status, business location, volume, range of products purchased and logistical requirements to service are also factors taken into consideration in the possible granting of an account facility.

ABBREVIATION OF MTS / MTO DISCLAIMER

MTO - The product is made to order and subject to a quoted lead time, based on supply chain parameters.

MTS - The product is made and kept in stock to ensure as short a lead time as possible. While every effort is made to ensure stock on the floor, unforeseen or unplanned events, such as spikes in demand or delays from suppliers may deplete stock. The stock is replenished as soon as is practicable.



PG BISON REQUIREMENTS FOR AN EXPORT CUSTOMER – ROAD FREIGHT

To be a direct Export Customer of ours, you must:

- Order a minimum volume quantity equivalent to one full 34 ton/48 m³ load
- Place all orders for additional volume, over and above the first truckload, in multiples of full 34 ton/48m³ load truck loads
 - Only full truckload orders will be accepted and processed
- Have premises that can accommodate a 34 ton interlink vehicle with regards to entrance, turning circle and exit
- Own or have immediate and unrestricted access to a forklift
- Place orders at least every second month with regularity and continuously
- Place orders in full pack sizes, i.e., no broken bundles
 - Arrange for your own transport and cover all costs **Ex Works (EXW)** PG Bison Boksburg, including transport and duties

Also note:

- Payment must reflect in our bank account before products are released on MTS items
- Payment must reflect in our bank account before we start production on MTO items

PG BISON REQUIREMENTS OF AN EXPORT CUSTOMER – SEA FREIGHT

To be a direct Export Customer of ours, you must:

- Order a minimum volume quantity equivalent to two full 20 foot containers
- Place all orders for additional volume, over and above the first two containers, in multiples of full 20 foot container loads
 - Only full container load orders will be accepted and processed
- Place orders with regularity and continuously
- Place orders in full pack sizes, i.e., no broken bundles

Also note:

- All PG Bison sea freight prices are quoted **Free on Board (FOB)** as a minimum
- Sea freight orders are only delivered to PG Bison-nominated packing facilities
- Payment must reflect in our bank account before products are released on MTS items
- Payment of 50% of the value of the order must reflect in our bank account before we start production on MTO items

PLEASE NOTE

- We strive to process and manufacture orders as per customer requirements. However, production schedules, site specifics and cross-docking loads may result in delays to the collection date.
- The customer's credit status, business location, volume, range of products purchased and logistical requirements to service are also factors taken into consideration in the possible granting of an account facility.
- PG Bison reserves the right to erect branding on the interior and/or exterior of customer premises, site-dependent and in consultation with you, the customer.

ABBREVIATION OF MTS / MTO DISCLAIMER

MTO - The product is made to order and subject to a quoted lead time based on supply chain parameters.

MTS - The product is made and kept in stock to ensure a short lead time. While every effort is made to ensure stock is on the floor, unforeseen or unplanned events, such as spikes in demand or supplier delays, may deplete stock. The stock is replenished as soon as production schedules allow.



INDEX

Luxora™ Worktops	5
Formica® LifeSeal® Worktops	6
Monteo+™	7
MelaWood SupaMatt®	8
MelaWood SupaGloss®	9
MelaWood SupaTexture®	10
MelaWood® Accent range on BisonBord®	11
MelaWood® Value range on BisonBord®	14
MelaWood® 12x6 Range	18
MelaWood® on SupaWood®	19
Carcass Backing Boards (Backers)	20
SupaLam®	21
BisonLam®	22
DecoBord®	23
BisonBord®	24
SupaWood®	25
Door Skins	26

See our guide on the
very best way to handle
and store your stock.



CUSTOMER SERVICE CENTRE 0860 579 196
INTERNATIONAL +27 (0)11 897 5200

pgbison.co.za



BBBEE Level 3

LUXORA™ WORKTOPS

Find the beauty within. A sleek construction of laminate, flat-bonded on our distinctive, black NobleCore™ substrate.



See the range

All products are sold in pack sizes only.

Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
D/f	18mm	3 660mm x 600mm	5	175	<28 days
D/f	18mm	3 660mm x 1 200mm	5	335	<28 days

*The lead time is calculated from date of order confirmation.

Colour	Finish
Alyko	NEW Texture
Barchand	NEW Texture
Carisbrooke	NEW Texture
Soria	NEW Texture
Vesuvio	NEW Texture
Zaros	NEW Texture

ABBREVIATIONS AND ANNOTATIONS

D/f – Double face (both sides)

These are the items we make on a regular basis.

See our recommendations
on finishing and sealing.



FORMICA® LIFESEAL® WORKTOPS

Where practical meets beautiful. A strong SupaWood® core wrapped in hard-wearing, decorative surface.



See the range

All products are sold in pack sizes only.

Thickness	Sheet size	Postform	Pack size	Stack weight	Lead time*
22mm	3 660mm x 600mm	1 long	25	0.86 tons	<14 days

Thickness	Sheet size	Postform	Pack size	Stack weight	Lead time*
22mm	3 660mm x 600mm	1 long	5	0.19 tons	<21 days
22mm	3 660mm x 900mm	2 long	5	0.28 tons	<21 days

*The lead time is calculated from date of order confirmation.

Colour	Finish
Akashi	Gloss
Antares	Gloss
Aquila	Gloss
Cassiopeia	Gloss
Catalan	Gloss
Comet Granite	Gloss
Elara	NEW Gloss
Faroe	NEW Gloss
Kristall	Gloss
Laniakea	NEW Gloss
Meribel	NEW Gloss
Moreno	Gloss
Oliana	NEW Gloss
Pantanal	NEW Gloss
Tucana	Gloss
Vento Blu	Gloss

Colour	Finish
Black	Texture
Black Slate	Texture
Brooklyn Loft	Texture
Comet Granite	Texture
Dunblane Grey	Texture
Lannach	Texture
Malbacco	Texture
Martinique	Texture
Saxon Oak	Texture
Torra	Texture
Volans	Texture
White	Texture

ABBREVIATIONS AND ANNOTATIONS

These are the items we make on a regular basis.

These are the items we make on a slightly less frequent basis.

MONTEO+™

The stamp of modern style in any space. Our new range of melamine faced boards, built on our distinctive black NobleCore™ base.



See the range

All products are sold in pack sizes only.

Thickness	Sheet size	Pack size	Stack weight	Lead time*
18mm	2 750mm x 1 840mm	5	360	<28 days

*The lead time is calculated from date of order confirmation.

Colour	Finish
Bellavista	NEW Natural Touch
Dunblane Grey	NEW Natural Touch
Iceberg White	NEW Natural Touch
Kalapana	NEW Natural Touch
Thornbury	NEW Acuity

ABBREVIATIONS AND ANNOTATIONS

These are the items we make on a regular basis.

See our recommendations on finishing and sealing.



MELAWOOD SUPAMATT®

Luxuriously smooth, UV-hardened ultra matt surface on SupaWood® core.



See the range

All products are sold in pack sizes only.

MelaWood SupaMatt® is supplied with a protective film on the matt surface.

Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
S/f matt	16mm	2 750mm x 1 840mm	10	0.65 tons	<21 days
S/f matt	16mm	2 750mm x 1 840mm	5	0.38 tons	<21 days

*The lead time is calculated from date of order confirmation

Colour	
Azzano	Muidan
Banbridge	Naran
Bellavista	Nata
Caraz	Petrol Blue
Congo	Rioverde
Dunblane Grey	Storm Grey
Folkstone Grey	Summer White
Iceberg White	Super Black
Kalapana	Tunari
Kara Blu	Urbino

ABBREVIATIONS AND ANNOTATIONS

S/f – Single face (one side only)

UV – Ultra Violet

These are the items we make on a regular basis.

There are various items we make on a less frequent basis or are customer specific.

If you do not see an item you are looking for, please contact your sales representative to discuss.

MELAWOOD SUPAGLOSS®

Rich and visually deep, UV-hardened gloss surface on SupaWood® core.



See the range

All products are sold in pack sizes only.

MelaWood SupaGloss® is supplied with a protective film on the gloss surface.

Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
S/f gloss	16mm	2 750mm x 1 840mm	20	1.21 tons	<21 days
S/f gloss	16mm	2 750mm x 1 840mm	10	0.65 tons	<21 days

*The lead time is calculated from date of order confirmation

Colour	
Azzano	Muidan
Banbridge	Napoca
Bellavista	NEW Naran
Calais	Nata
Cappuccino	Petrol Blue
Caraz	Rioverde
Congo	Storm Grey
Dunblane Grey	Summer White
Folkstone Grey	Super Black
Iceberg White	Treviso
Kalapana	Tunari
Kara Blu	Urbino

ABBREVIATIONS AND ANNOTATIONS

S/f – Single face (one side only)

UV – Ultra Violet

These are the items we make on a regular basis.

There are various items we make on a less frequent basis or are customer specific.

If you do not see an item you are looking for, please contact your sales representative to discuss.

MELAWOOD SUPATEXTURE®

Melamine-impregnated décor with more noticeable surface textures on SupaWood® core.



See the range

All products are sold in pack sizes only

Thickness	Sheet size	Pack size	Stack weight	Lead time*
16mm	2 750mm x 1 840mm	20	1.21 tons	<21 days

*The lead time is calculated from date of order confirmation.

Colour	Finish
Banbridge	Intra
Calais	Intra
Napoca	Intra
Treviso	Intra
Tunari	Intra
Earlswood	NEW Capitol
Laredo	NEW Capitol
Vieste	NEW Capitol

Colour	Finish
Bellavista	NEW Acuity
Dunblane Grey	NEW Acuity
Kara Blu	NEW Acuity
Nata	NEW Acuity
Rioverde	NEW Acuity
Storm Grey	NEW Acuity
Super Black	NEW Acuity

MELAWOOD® ON BISONBORD®

MelaWood® melamine-impregnated décor on BisonBord® core.

ACCENT RANGE



See the range

All products are sold in pack sizes only.

Thickness	Sheet size	Pack size	Stack weight	Lead time*
16mm	2 750mm x 1 840mm	30	1.66 tons	<21 days

*The lead time is calculated from date of order confirmation.

Colour	Finish
Bellavista	Peen
Cappuccino	Peen
Caraz	Peen
Congo	Peen
Dunblane Grey	Peen
Folkstone Grey	Peen
Iceberg White	Peen
Kalapana	Peen
Kara Blu	Peen
Muidan	Peen
Naran	Peen
Nata	Peen
Petrol Blue	Peen
Rioverde	Peen
Storm Grey	Peen
Super Black	Peen

ABBREVIATIONS AND ANNOTATIONS

These are the items we make on a regular basis.

MELAWOOD® ON BISONBORD®

MelaWood® melamine-impregnated décor on BisonBord® core.

ACCENT RANGE

All products are sold in pack sizes only.

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Cappuccino	Linear	16mm	2 750mm x 1 840mm	30	1.66 tons	<21 days
Congo	Linear					
Folkstone Grey	Linear					
Iceberg White	Linear					
Petrol Blue	Linear					
Storm Grey	Linear					
Super Black	Ashwood					
Super Black	Linear					

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Cappuccino	Strata	16mm	2 750mm x 1 840mm	30	1.66 tons	<28 days
Congo	Strata					
Folkstone Grey	Strata					
Storm Grey	Strata					
Folkstone Grey	Peen	22mm	2 750mm x 1 840mm	25	1.85 tons	<28 days
Iceberg White	Peen					
Storm Grey	Peen					
Super Black	Peen					
Folkstone Grey	Peen	32mm	2 750mm x 1 840mm	15	1.57 tons	<28 days
Iceberg White	Peen					
Storm Grey	Peen					

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

These are the items we make on a slightly less frequent basis or where a minimum order quantity may apply.

If you do not see an item you are looking for, please contact your sales representative to discuss.

MELAWOOD® ON BISONBORD® continued

ACCENT RANGE

MelaWood® melamine-impregnated décor on BisonBord® core.

All products are sold in pack sizes only.

Requirements: 2 stack minimum order

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Dunblane Grey	Linear	16mm	2 750mm x 1 840mm	30	1.66 tons	<28 days
Folkstone Grey	Ashwood					
Storm Grey	Ashwood					
Caraz	Peen	22mm	2 750mm x 1 840mm	25	1.85 tons	<28 days
Congo	Peen					
Dunblane Grey	Peen					
Kalapana	Peen					
Congo	Peen	32mm	2 750mm x 1 840mm	15	1.57 tons	<28 days
Dunblane Grey	Peen					
Kalapana	Peen					
Super Black	Peen					

MelaWood on BisonBord MR

Requirements: 2 stack minimum order

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Congo	Peen	16mm	2 750mm x 1 840mm	30	1.66 tons	<28 days
Dunblane Grey	Peen					
Folkstone Grey	Peen					
Storm Grey	Peen					

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

MR – Moisture Resistant

These are the items we make on a slightly less frequent basis or where a minimum order quantity may apply.

If you do not see an item you are looking for, please contact your sales representative to discuss.

MELAWOOD® ON BISONBORD®

MelaWood® melamine-impregnated décor on BisonBord® core.

VALUE RANGE

All products are sold in pack sizes only.

Thickness	Sheet size	Pack size	Stack weight	Lead time*
16mm	2 750mm x 1 840mm	30	1.66 tons	<21 days

*The lead time is calculated from date of order confirmation.

Colour	Finish
African Wenge	Fusion
Alegria	Linear
American Walnut	Fusion
American Walnut	Peen
Anchor Point	Natural Touch
Arden	Natural Touch
Black Cherry	Peen
Brookhill	Fusion
Camden	Linear
Clydeshaw NEW	Intrinsic
Coimbra	Linear
Esperanza Oak	Linear
Farasan NEW	Intrinsic
Greythorne	Fusion

Colour	Finish
Harvard Cherry	Fusion
Harvard Cherry	Peen
Haven	Fusion
Kirkwall	Linear
Lockeport	Linear
Luca Polenta	Fusion
Luca Urban	Fusion
Monument Oak	Linear
Northridge NEW	Intrinsic
Nosara	Linear
Pasadena NEW	Intrinsic
Shale Oak	Peen
Stonetown	Linear
Vardo	Natural Touch

ABBREVIATIONS AND ANNOTATIONS

These are the items we make on a regular basis.

MELAWOOD® ON BISONBORD®

VALUE RANGE

MelaWood® melamine-impregnated décor on BisonBord® core.

All products are sold in pack sizes only.

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
African Wenge	Linear	16mm	2 750mm x 1 840mm	30	1.66 tons	<21 days
African Wenge	Peen					
American Walnut	Linear					
Black Cherry	Ashwood					
Coimbra	Peen					
Esperanza Oak	Natural Touch					
Esperanza Oak	Peen					
Monument Oak	Peen					
Shale Oak	Linear					
Shale Oak	Natural Touch					

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Black Cherry	Linear	16mm	2 750mm x 1 840mm	30	1.66 tons	<28 days
Black Cherry	Natural Touch					
Harvard Cherry	Linear					
Shale Oak	Ashwood					
Brookhill	Fusion	22mm	2 750mm x 1 840mm	25	1.85 tons	<28 days
Brookhill	Fusion	32mm	2 750mm x 1 840mm	15	1.57 tons	<28 days

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

These are the items we make on a slightly less frequent basis or where a minimum order quantity may apply.

If you do not see an item you are looking for, please contact your sales representative to discuss.

MELAWOOD® ON BISONBORD® continued

VALUE RANGE

MelaWood® melamine-impregnated décor on BisonBord® core.

All products are sold in pack sizes only.

Requirements: 2 stack minimum order

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
African Wenge	Ashwood	16mm	2 750mm x 1 840mm	30	1.66 tons	<28 days
American Walnut	Ashwood					
Brookhill	Peen					
Coimbra	Ashwood					
Coimbra	Fusion					
Esperanza Oak	Fusion					
Monument Oak	Fusion					
Monument Oak	Natural Touch					
Stonetown	Natural Touch					
African Wenge	Fusion	22mm	2 750mm x 1 840mm	25	1.85 tons	<28 days
African Wenge	Linear					
African Wenge	Peen					
Alegria	Linear					
American Walnut	Peen					
Arden	Natural Touch					
Coimbra	Linear					
Coimbra	Peen					
Esperanza Oak	Natural Touch					
Greythorne	Fusion					
Harvard Cherry	Fusion					
Harvard Cherry	Peen					
Haven	Fusion					
Kirkwall	Linear					
Luca Polenta	Fusion					
Luca Urban	Fusion					
Nosara	Linear					
Shale Oak	Peen					

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

These are the items we make on a slightly less frequent basis or where a minimum order quantity may apply. If you do not see an item you are looking for, please contact your sales representative to discuss.

MELAWOOD® ON BISONBORD® continued

MelaWood® melamine-impregnated décor on BisonBord® core.

VALUE RANGE

All products are sold in pack sizes only.

Requirements: 2 stack minimum order

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
African Wenge	Peen	32mm	2 750mm x 1 840mm	15	1.57 tons	<28 days
Alegria	Linear					
American Walnut	Peen					
Coimbra	Linear					
Coimbra	Peen					
Esperanza Oak	Natural Touch					
Harvard Cherry	Peen					
Monument Oak	Peen					
Nosara	Linear					
Shale Oak	Peen					

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

These are the items we make on a slightly less frequent basis or where a minimum order quantity may apply.

If you do not see an item you are looking for, please contact your sales representative to discuss.

MELAWOOD® ON BISONBORD®

12X6 RANGE

MelaWood® melamine-impregnated décor on BisonBord® core.

The MelaWood® 12x6 range is limited to 16mm, 22mm & 32mm thicknesses.

A request for any other thickness requires a commercial discussion.

Any design, other than those listed in the first MelaWood® 12x6 table with a 2 stack minimum order, is subject to a quoted lead time and a minimum order quantity of 240 boards per design, delivered in a single delivery.

The 240 board order may be split across the 3 available 12x6 thicknesses, provided a minimum of two stacks is ordered per thickness and the total order equals 240 boards.

All products are sold in pack sizes only.

Requirements: 2 stack minimum order

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Iceberg White	Peen	16mm	3 660mm x 1 840mm	30	2.21 tons	<28 days

Requirements: 240 board minimum order

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Brookhill	Fusion	16mm	3 660mm x 1 840mm	30	2.21 tons	<28 days
Coimbra	Peen					
Folkstone Grey	Peen					
Brookhill	Fusion	22mm	3 660mm x 1 840mm	25	2.49 tons	<28 days
Coimbra	Peen					
Iceberg White	Peen					
Coimbra	Peen	32mm	3 660mm x 1 840mm	15	2.09 tons	<28 days

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

These are the items we make on a slightly less frequent basis or where a minimum order quantity may apply.

If you do not see an item you are looking for, please contact your sales representative to discuss.

MELAWOOD® ON SUPAWOOD®

MelaWood® melamine-impregnated décor on SupaWood® core.

All products are sold in pack sizes only.

Thickness	Sheet size	Pack size	Stack weight	Lead time*
16mm	2 750mm x 1 840mm	30	1.76 tons	<21 days

Colour	Finish
Iceberg White	Peen
Super Black	Peen
Brookhill	Fusion

Requirements: 2 stack minimum order

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Cappuccino	Peen	16mm	2 750mm x 1 840mm	30	1.76 tons	<21 days
Caraz	Peen					
Congo	Peen					
Dunblane Grey	Peen					
Folkstone Grey	Peen					
Iceberg White / Raw	Peen					
Kalapana	Peen					
Muidan	Peen					
Naran	Peen					
Petrol Blue	Peen					
Storm Grey	Peen					
African Wenge	Fusion	16mm	2 750mm x 1 840mm	30	1.76 tons	<21 days
American Walnut	Fusion					
American Walnut	Peen					
Black Cherry	Peen					
Coimbra	Peen					
Esperanza Oak	Linear					
Esperanza Oak	Peen					
Harvard Cherry	Peen					
Haven	Fusion					
Monument Oak	Peen					
Shale Oak	Peen					
Stonetown	Linear					
Vardo	Natural Touch					

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

These are the items we make on a regular basis.

There are various items we make on a less frequent basis or are customer specific.

If you do not see an item you are looking for, please contact your sales representative to discuss.

CARCASS BACKING BOARDS (BACKERS)

Matched décor on thin SupaWood for colour carcass backing and drawer bottoms.

All products are sold in pack sizes only.

Item Description	Colour	Thickness	Sheet size	Pack size	Stack weight	Lead time*
DecoBord	White - single face	3mm	2 750mm x 1 840mm	160	2.36 tons	<14 days
DecoBord	White - single face	3mm	2 750mm x 1 840mm	80	1.19 tons	<14 days

Item Description	Colour	Thickness	Sheet size	Pack size	Stack weight	Lead time*
DecoBord	Cappuccino - S/f	3mm	2 750mm x 1 840mm	60	0.83 tons	<14 days
	Congo - S/f					
	Folkstone Grey - S/f					
	Storm Grey -S/f					
MelaWood on SupaWood	Luca Polenta - D/f	6mm	2 750mm x 1 840mm	60	1.61 tons	<14 days
	Luca Urban - D/f					

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

S/f – Single face (one side only)

D/f – Double face (both sides)

SUPALAM®

White melamine-impregnated décor on SupaWood® core.

All products are sold in pack sizes only.

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Picco White / raw (S/f)	Strata	16mm	2 750mm x 1 840mm	30	1.71 tons	<21 days
Super White / raw (S/f)	Peen					
Picco White	Strata	16mm	2 750mm x 1 840mm	30	1.71 tons	<21 days
Super White	Peen					

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

S/f – Single face (one side only)

These are the items we make on a regular basis.

There are various items we make on a less frequent basis or are customer specific.

If you do not see an item you are looking for, please contact your sales representative to discuss.

BISONLAM®

BisonLam® Moisture Resistant (MR) E1

BisonLam® E1

White melamine-impregnated décor on BisonBord® core.

All products are sold in pack sizes only.

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Picco White	Strata	16mm	2 750mm x 1 840mm	30	1.66 tons	<21 days
Super White	Ashwood					
Super White	Peen					
MR E1 Picco White	Strata	16mm	2 750mm x 1 840mm	30	1.66 tons	<21 days
MR E1 Super White	Peen					

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Picco White	Strata	16mm	3 660mm x 1 840mm	30	2.20 tons	<21 days
Super White	Peen					
Super White	Peen	18mm	2 750mm x 1 840mm	30	1.83 tons	<21 days

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Picco White	Strata	22mm	2 750mm x 1 840mm	25	1.85 tons	<28 days
Super White	Peen					
Picco White	Strata	32mm	2 750mm x 1 840mm	15	1.57 tons	<28 days
Super White	Peen					

Requirements: 2 stack minimum order

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Picco White	Strata	12mm	2 750mm x 1 840mm	40	1.75 tons	<28 days
Super White	Peen					
Super White	Peen	22mm	3 660mm x 1 840mm	25	2.47 tons	<28 days
Super White	Peen	32mm	3 660mm x 1 840mm	15	2.08 tons	<28 days
E1 Picco White	Strata	16mm	2 750mm x 1 840mm	30	1.66 tons	<28 days
E1 Super White	Peen					

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

E1 – Low formaldehyde emission

These are the items we make on a regular basis.

There are various items we make on a less frequent basis or are customer specific.

If you do not see an item you are looking for, please contact your sales representative to discuss.

DECOBORD®

Paper foil on BisonBord® or SupaWood® core.

All products are sold in pack sizes only.

Requirements: 2 stack minimum order

Colour	Finish	Substrate	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Brown & White Kiaat / raw (s/f)	Recoatable	BisonBord®	16mm	2 750mm x 1 840mm	30	1.62 tons	<21 days
Brown & White Kiaat / raw (s/f)	Recoatable	SupaWood®					
Ironwood / raw (s/f)	Recoatable	BisonBord®					
Ironwood / raw (s/f)	Recoatable	SupaWood®					
Italian Walnut / raw (s/f)	Recoatable	BisonBord®					
Italian Walnut / raw (s/f)	Recoatable	SupaWood®					

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

S/f – Single face (one side only)

These are the items we make on a slightly less frequent basis or where a minimum order quantity may apply.

BISONBORD®

BisonBord® Moisture Resistant (MR)

BisonBord® E1

PG Bison's brand of particleboard.



See the range

All products are sold in pack sizes only.

Requirements: Full truck load order quantity

Item Description	Thickness	Sheet size	Pack size	Stack weight	Lead time*
BisonBord Supreme	16mm	2 750mm x 1 840mm	30	1.50 tons	Swift**
	16mm	3 660mm x 1 840mm	30	2.06 tons	<14 days

Item Description	Thickness	Sheet size	Pack size	Stack weight	Lead time*
BisonBord Supreme	18mm	2 750mm x 1 840mm	30	1.73 tons	<21 days
	22mm	2 750mm x 1 840mm	25	1.76 tons	<21 days
	22mm	3 660mm x 1 840mm	25	2.34 tons	<21 days
	32mm	2 750mm x 1 840mm	15	1.49 tons	<21 days
	32mm	3 660mm x 1 840mm	15	1.98 tons	<21 days

Item Description	Thickness	Sheet size	Pack size	Stack weight	Lead time*
BisonBord Supreme	12mm	2 750mm x 1 840mm	40	1.62 tons	<28 days
BisonBord E1	16mm	2 750mm x 1 840mm	30	1.50 tons	<28 days
BisonBord MR	16mm	2 750mm x 1 840mm	30	1.50 tons	<28 days

Requirements: 120m³ minimum order (53 stacks)

Item Description	Thickness	Sheet size	Pack size	Stack weight	Lead time*
BisonBord Supreme	9mm	2 750mm x 1 840mm	50	1.64 tons	Comm.

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

Comm. – commercial discussion regarding availability and lead time

E1 – Low formaldehyde emission

These are the items we make on a regular basis.

There are various items we make on a less frequent basis or are customer specific.

If you do not see an item you are looking for, please contact your sales representative to discuss.

SUPAWOOD®

PG Bison's brand of medium density fibreboard (MDF).



See the range

All products are sold in pack sizes only.

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Raw	Sanded	3mm	2 750mm x 1 840mm	160	2.15 tons	<14 days
		6mm	2 750mm x 1 840mm	80	1.91 tons	
		9mm	2 750mm x 1 840mm	50	1.72 tons	
		12mm	2 750mm x 1 840mm	40	1.78 tons	
		16mm	2 750mm x 1 840mm	30	1.64 tons	
		18mm	2 750mm x 1 840mm	30	1.92 tons	
		22mm	2 750mm x 1 840mm	25	1.88 tons	
		30mm	2 750mm x 1 840mm	15	1.62 tons	

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Raw	Sanded	12mm	3 660mm x 1 840mm	40	2.37 tons	<21 days
		16mm	3 660mm x 1 840mm	30	2.18 tons	
		18mm	3 660mm x 1 840mm	30	2.55 tons	
		22mm	3 660mm x 1 840mm	25	2.50 tons	
		30mm	3 660mm x 1 840mm	15	2.16 tons	

*The lead time is calculated from date of order confirmation.

ABBREVIATIONS AND ANNOTATIONS

These are the items we make on a regular basis.

There are various items we make on a less frequent basis or are customer specific.

If you do not see an item you are looking for, please contact your sales representative to discuss.

DOOR SKINS

Thin SupaWood® High Density Fibrebord (HDF) for surfacing of doors.

All products are sold in pack sizes only.

Colour	Finish	Thickness	Sheet size	Pack size	Stack weight	Lead time*
Raw board with no surfacing material applied	Sanded	2.7mm	2 050mm x 825mm	270	1.09 tons	<21 days
	Unsanded	3.0mm	2 040mm x 820mm	270	1.18 tons	<21 days
			2 050mm x 825mm	270	1.20 tons	
	Sanded	6.0mm	2 040mm x 820mm	135	1.14 tons	<21 days
			2 050mm x 825mm	135	1.15 tons	

*The lead time is calculated from date of order confirmation.



CUSTOMER SERVICE CENTRE 0860 579 196
INTERNATIONAL +27 (0)11 897 5200

pgbison.co.za

