



It's PG Bison.

Availability List September 2021

PG Bison Requirements of a Direct Customer

To be our Direct Customer you must:

- Qualify for credit
- Place orders in full pack sizes, i.e. no broken bundles
- **Order continuously and with regularity, at a minimum of once per month**
- Order a minimum of 8 tons/12m³ by substrate, within a month (substrate is either BisonBord or SupaWood core)
- Have premises that can accommodate a 36 ton interlink vehicle with regards to entrance, turning and exit
- Own or have immediate and unrestricted access to a forklift
 - Ad hoc hiring or borrowing of forklifts does not qualify
 - Your forklift must have minimum lifting capacity of 3.5 tons
 - Your forklift must have minimum fork length of 1.5 metres
 - Your forklift mast must access the top bundle of fully loaded interlink vehicle.

PLEASE NOTE

- Although orders are accepted and processed in 8 ton/12m³ lot minimums, and we strive to deliver them as such, production schedules, site specifics and load configurations may result in part deliveries of less than 8 tons/12m³.
- No collections at any PG Bison site are permitted.

Abbreviation of MTS / MTO Disclaimer

MTO - The product is made to order and subject to a quoted lead time, based on supply chain parameters.

MTS - The product is made and kept in stock to ensure as short a lead time as possible. While every effort is made to ensure stock on the floor, unforeseen or unplanned events, such as spikes in demand or delays from suppliers may deplete stock. The stock is replenished as soon as is practicable.

CUSTOMER SERVICE CENTRE **0860 579 196**

JOHANNESBURG **011 897 5200**

CAPE TOWN **087 357 7989**

DURBAN **087 350 0874**

EXPORTS **011 897 5200**



BBBEE Level 6

Index

MelaWood® SupaGloss™	4
MelaWood® SupaMatt™	5
MelaWood® SupaTexture™	6
MelaWood® Demand range on BisonBord®	7
MelaWood® Demand range on SupaWood®	8
MelaWood® Value range on BisonBord®	9
MelaWood® Value range on SupaWood®	10
MelaWood® Accent range on BisonBord®	11
MelaWood® Accent range on SupaWood®	12
MelaWood® 12x6 Range	13
Formica® LifeSeal® Worktops Gloss range	14
Formica® LifeSeal® Worktops Textured range	14
DecoBord®	15
BisonBord®	16
BisonBord® MR (E1) Moisture Resistant	16
BisonLam®	17
BisonLam® MR (E1) Moisture Resistant	17
BisonLam® Shelving	18
SupaWood®	19
SupaLam®	19
Ready2Spray SupaWood®	19



MelaWood® SupaGloss™

MelaWood® SupaGloss™ uses a MelaWood® on SupaWood® core with a PUR UV-cured gloss coat

MelaWood® SupaGloss™ is a single face gloss with matching Peen backer

MelaWood® SupaGloss™ is supplied with a protective film on the gloss surface

MelaWood® SupaGloss™ sold in pack sizes only

Thickness	Pack Size	Sheet sizes & tonnage	Availability
		2750mm x 1840mm	
16mm	5	0.33 tons	MTO
16mm	20	1.31 tons	MTS

Thickness	Pack Size	Design	Sheet sizes & tonnage	Availability
			2750mm x 1840mm	
16mm	20	American Walnut™	1.31 tons	MTS
16mm	20	Astana™	1.31 tons	MTS
16mm	20	Azzano™	1.31 tons	MTS
16mm	20	Biskra™	1.31 tons	MTS
16mm	20	Calais™	1.31 tons	MTS
16mm	20	Caldera™	1.31 tons	MTS
16mm	20	Cambridge™	1.31 tons	MTS
16mm	20	Candy Red™	1.31 tons	MTS
16mm	20	Cappuccino™	1.31 tons	MTS
16mm	20	Caraz™	1.31 tons	MTS
16mm	20	Coimbra™	1.31 tons	MTS
16mm	20	Congo™	1.31 tons	MTS
16mm	20	Dunblane Grey™	1.31 tons	MTS
16mm	20	Espresso™	1.31 tons	MTS
16mm	20	Folkstone Grey™	1.31 tons	MTS
16mm	20	Iceberg White™	1.31 tons	MTS
16mm	20	Kalapana™	1.31 tons	MTS
16mm	20	Lime Green™	1.31 tons	MTS
16mm	20	Napoca™	1.31 tons	MTS
16mm	20	Petrol Blue™	1.31 tons	MTS
16mm	20	Storm Grey™	1.31 tons	MTS
16mm	20	Summer White™	1.31 tons	MTS
16mm	20	Super Black™	1.31 tons	MTS
16mm	20	Treviso™	1.31 tons	MTS

Abbreviations:

PUR Reinforced polyurethane using higher-weight polyurethane with UV-curing and cross-linking

UV Ultra Violet

MTO Make To Order

MTS Make To Stock



MelaWood® SupaMatt™

MelaWood® SupaMatt™ uses a MelaWood® on SupaWood® core

MelaWood® SupaMatt™ is a single face matt with matching Natural Touch backer

MelaWood® SupaMatt™ is supplied with a protective film on the matt surface

MelaWood® SupaMatt™ sold in pack sizes only

Thickness	Pack Size	Sheet sizes & tonnage	Availability
		2750mm x 1840mm	
16mm	5	0.33 tons	MTO
16mm	20	1.31 tons	MTS

Thickness	Pack Size	Design	Sheet sizes & tonnage	Availability
			2750mm x 1840mm	
16mm	20	Azzano™	1.31 tons	MTS
16mm	20	Caldera™	1.31 tons	MTS
16mm	20	Caraz™	1.31 tons	MTS
16mm	20	Congo™	1.31 tons	MTS
16mm	20	Dunblane Grey™	1.31 tons	MTS
16mm	20	Folkstone Grey™	1.31 tons	MTS
16mm	20	Iceberg White™	1.31 tons	MTS
16mm	20	Kalapana™	1.31 tons	MTS
16mm	20	Petrol Blue™	1.31 tons	MTS
16mm	20	Storm Grey™	1.31 tons	MTS
16mm	20	Super Black™	1.31 tons	MTS

Abbreviations:

MTO Make To Order

MTS Make To Stock

MelaWood® SupaTexture™

MelaWood® SupaTexture™ uses a SupaWood® core

MelaWood® SupaTexture™ is a single face deep structure with matching Peen backer

MelaWood® SupaTexture™ sold in pack sizes only

Thickness	Pack Size	Sheet sizes & tonnage	Availability
		2750mm x 1840mm	
16mm	5	0.33 tons	MTO
16mm	20	1.14 tons	MTS

Thickness	Pack Size	Design	Sheet sizes & tonnage	Availability
			2750mm x 1840mm	
16mm	20	Astana™	1.14 tons	MTS
16mm	20	Calais™	1.14 tons	MTS
16mm	20	Cambridge™	1.14 tons	MTS
16mm	20	Napoca™	1.14 tons	MTS
16mm	20	Treviso™	1.14 tons	MTS

Abbreviations:

MTO Make To Order

MTS Make To Stock

MelaWood® Demand Range

MelaWood® décor on BisonBord® core

MelaWood® on BisonBord® 16mm x 2750mm x 1840mm is a MTS product

MelaWood® on BisonBord® on any thickness, excluding 16mm is a MTO product and subject to a quoted lead time

MelaWood® on BisonBord® in 3660mm x 1840mm sheet size is a MTO product and subject to a quoted lead time

MelaWood® sold in pack sizes only

Demand Range on BisonBord® Core

Thickness	Pack size	Sheet sizes & tonnage	Availability
		2750mm x 1840mm	
12mm	40	1.84 tons	MTO
16mm	30	1.71 tons	MTS
18mm	30	1.93 tons	MTO
22mm	25	1.88 tons	MTO
25mm	20	1.70 tons	MTO
32mm	15	1.62 tons	MTO

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.


Design	2750mm x 1840mm
	Finish
Anchor Point™	Natural Touch™
Arden™	Natural Touch™
Camden™	Linear™
Cannero™	Fusion™
Coimbra™	Linear™
Esperanza Oak™	Linear™
Greythorne™	Fusion™
Lanza Oak™	Linear™
Monument Oak™	Linear™
Normandy™	Fusion™
Vardo™	Natural Touch™
Vence™	Fusion™
Verzasca Oak™	Linear™

Abbreviations:

MTO Make To Order

MTS Make To Stock

NEW
NOW WITH
ANTI-BACTERIAL
ADDITIVE



MelaWood® Demand Range

MelaWood® décor on SupaWood® core

MelaWood® on SupaWood® is a MTO product and subject to a quoted lead time

MelaWood® sold in pack sizes only

Demand Range on SupaWood® Core

Thickness	Pack size	Sheet sizes & tonnage	Availability
		2750mm x 1840mm	
12mm	40	2.04 tons	MTO
16mm	30	2.08 tons	MTO
18mm	30	2.29 tons	MTO
22mm	25	2.22 tons	MTO
30mm	15	1.84 tons	MTO

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.


Contact your stockist if you have a particular request.

Design	2750mm x 1840mm
	Finish
Anchor Point™	Natural Touch™
Arden™	Natural Touch™
Camden™	Linear™
Cannero™	Fusion™
Coimbra™	Linear™
Esperanza Oak™	Linear™
Greythorne™	Fusion™
Lanza Oak™	Linear™
Monument Oak™	Linear™
Normandy™	Fusion™
Vardo™	Natural Touch™
Vence™	Fusion™
Verzasca Oak™	Linear™

Abbreviations:

MTO Make To Order

NEW
 NOW WITH
 ANTI-BACTERIAL
 ADDITIVE



MelaWood® Value Range

MelaWood® décor on BisonBord® core

MelaWood® on BisonBord® 16mm x 2750mm x 1840mm is a MTS product

MelaWood® on BisonBord® on any thickness, excluding 16mm is a MTO product and subject to a quoted lead time

MelaWood® on BisonBord® in 3660mm x 1840mm sheet size is a MTO product and subject to a quoted lead time

MelaWood® sold in pack sizes only

Value Range on BisonBord® Core

Thickness	Pack size	Sheet sizes & tonnage	Availability
		2750mm x 1840mm	
12mm	40	1.84 tons	MTO
16mm	30	1.71 tons	MTS
18mm	30	1.93 tons	MTO
22mm	25	1.88 tons	MTO
25mm	20	1.70 tons	MTO
32mm	15	1.62 tons	MTO

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	2750mm x 1840mm
	Finish
African Wenge™	Fusion™
American Walnut™	Fusion™
Black Cherry™	Peen™
Brookhill™	Fusion™
Burgan Mahogany™	Peen™
Cadbury Oak™	Linear™
Etimo™	Peen™
Harvard Cherry™	Fusion™
Haven™	Fusion™
Lockeport™	Linear™
Maidenwood™	Fusion™
Natural Oak™	Peen™
Shale Oak™	Peen™
Stonetown™	Linear™
Summer Oak™	Peen™
Vancouver Maple™	Peen™
Windsor Cherry™	Peen™

Abbreviations:

MTO Make To Order

MTS Make To Stock

NEW
NOW WITH
ANTI-BACTERIAL
ADDITIVE

MelaWood® Value Range

MelaWood® décor on SupaWood® core

MelaWood® on SupaWood® is a MTO product and subject to a quoted lead time

MelaWood® sold in pack sizes only

Value Range on SupaWood® Core

Thickness	Pack size	Sheet sizes & tonnage	Availability
		2750mm x 1840mm	
12mm	40	2.04 tons	MTO
16mm	30	2.08 tons	MTO
18mm	30	2.29 tons	MTO
22mm	25	2.22 tons	MTO
30mm	15	1.84 tons	MTO

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	2750mm x 1840mm
	Finish
African Wenge™	Fusion™
American Walnut™	Fusion™
Black Cherry™	Peen™
Brookhill™	Fusion™
Burgan Mahogany™	Peen™
Cadbury Oak™	Linear™
Etimo™	Peen™
Harvard Cherry™	Fusion™
Haven™	Fusion™
Lockeport™	Linear™
Maidenwood™	Fusion™
Natural Oak™	Peen™
Shale Oak™	Peen™
Stonetown™	Linear™
Summer Oak™	Peen™
Vancouver Maple™	Peen™
Windsor Cherry™	Peen™

Abbreviations:

MTO Make To Order

NEW
 NOW WITH
 ANTI-BACTERIAL
 ADDITIVE

MelaWood® Accent Range

MelaWood® décor on BisonBord® core

MelaWood® on BisonBord® 16mm x 2750mm x 1840mm is a MTS product

MelaWood® on BisonBord® on any thickness, excluding 16mm is a MTO product and subject to a quoted lead time

MelaWood® on BisonBord® in 3660mm x 1840mm sheet size is a MTO product and subject to a quoted lead time

MelaWood® sold in pack sizes only

Accent Range on BisonBord® Core

Thickness	Pack size	Sheet sizes & tonnage	Availability
		2750mm x 1840mm	
12mm	40	1.84 tons	MTO
16mm	30	1.71 tons	MTS
18mm	30	1.93 tons	MTO
22mm	25	1.88 tons	MTO
25mm	20	1.70 tons	MTO
32mm	15	1.62 tons	MTO

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	2750mm x 1840mm	2750mm x 1840mm
	Finish	Finish
Biskra™		Peen™
Cappuccino™	Linear™	Peen™
Caraz™		Peen™
Congo™	Linear™	Peen™
Dunblane Grey™		Peen™
Espresso™	Linear™	Peen™
Folkstone Grey™	Linear™	Peen™
Iceberg White™	Linear™	Peen™
Kalapana™		Peen™
Petrol Blue™	Linear™	Peen™
Picco White™	Strata™	
Storm Grey™	Linear™	Peen™
Super Black™	Linear™	Peen™

Abbreviations:

MTO Make To Order

MTS Make To Stock

NEW
NOW WITH
ANTI-BACTERIAL
ADDITIVE



MelaWood® Accent Range

MelaWood® décor on SupaWood® core

MelaWood® on SupaWood® is a MTO product and subject to a quoted lead time

MelaWood® sold in pack sizes only

Accent Range on SupaWood® Core

Thickness	Pack size	Sheet sizes & tonnage	Availability
		2750mm x 1840mm	
12mm	40	2.04 tons	MTO
16mm	30	2.08 tons	MTO
18mm	30	2.29 tons	MTO
22mm	25	2.22 tons	MTO
30mm	15	1.84 tons	MTO

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.

Contact your stockist if you have a particular request.

Design	2750mm x 1840mm	
	Finish	
Biskra™		Peen™
Cappuccino™	Linear™	Peen™
Caraz™		Peen™
Congo™	Linear™	Peen™
Dunblane Grey™		Peen™
Espresso™	Linear™	Peen™
Folkstone Grey™	Linear™	Peen™
Iceberg White™	Linear™	Peen™
Kalapana™		Peen™
Petrol Blue™	Linear™	Peen™
Picco White™	Strata™	
Storm Grey™	Linear™	Peen™
Super Black™	Linear™	Peen™

Abbreviations:

MTO Make To Order

NEW
 NOW WITH
 ANTI-BACTERIAL
 ADDITIVE

MelaWood® 12x6 Range

MelaWood® décor on BisonBord® core

MelaWood® on BisonBord® in 3660mm x 1840mm sheet size in any thicknesses is a MTO product and subject to a quoted lead time

MelaWood® on BisonBord® in 3660mm x 1840mm sheet size is subject to a minimum order of 330 boards per design

MelaWood® sold in pack sizes only

12x6 Range on BisonBord® Core

Thickness	Pack size	Sheet sizes & tonnage	Availability
		3660mm x 1840mm	
12mm	40	2.43 tons	MTO
16mm	30	2.20 tons	MTO
18mm	30	2.50 tons	MTO
22mm	25	2.49 tons	MTO
25mm	20	2.25 tons	MTO
32mm	15	2.15 tons	MTO

WE OFFER A WIDE RANGE OF DESIGNS IN COMBINATION WITH OUR FINISHES.

We have highlighted the finish that we think best showcases each design to help make your choice easier.


Contact your stockist if you have a particular request.

Design	3660mm x 1840mm
	Finish
African Wenge™	Peen™
Coimbra™	Peen™
Folkstone Grey™	Peen™
Iceberg White™	Peen™
Natural Oak™	Peen™
Summer Oak™	Peen™
Vancouver Maple™	Peen™

Abbreviations:

MTO Make To Order

NEW
 NOW WITH
 ANTI-BACTERIAL
 ADDITIVE



Formica® LifeSeal® Worktops

Formica high pressure laminate on BisonBord® core

Formica® LifeSeal® Worktops sold in pack sizes only

Gloss Range

Design					
Aquila™	Catalan™	Cygnus™	Marron™	Moreno™	Tucana™
Carina™	Comet Granite™	Kristall™	Mocha Granite™	Rosetta™	Vento Blu™

Thickness	Pack Size	Sheet sizes & tonnage		Availability
		3660mm x 600mm	3660mm x 900mm	
		Postform	Postform	
		1 long edge	2 long edges	
32mm	5	0.26 tons		MTO
32mm	20	0.98 tons		MTS
32mm	5		0.39 tons	MTS

Textured Range

Design					
Black™	Comet Granite™	Kinloch™	Saxon Oak™	Verster Granite™	White Myriad™
Black Slate™	Downtown™	Moss Granite™	Torra™	White™	Woodland Fusion™
Brooklyn Loft™					

Thickness	Pack Size	Sheet sizes & tonnage		Availability
		3660mm x 600mm	3660mm x 900mm	
		Postform	Postform	
		1 long edge	2 long edges	
32mm	5	0.26 tons		MTO
32mm	20	0.98 tons		MTS
32mm	5		0.39 tons	MTS

Abbreviations:

MTO Make To Order

MTS Make To Stock

DecoBord®

Paper foil on BisonBord® core

DecoBord® sold in pack sizes only

DecoBord® is a MTO product

Thickness	Pack Size	Design	Sheet sizes & tonnage	Availability
			2750mm x 1840mm	
16mm	30	Brown and White Kiaat	1.71 tons	MTO
16mm	30	Italian Walnut	1.71 tons	MTO
16mm	30	Tub Walnut	1.71 tons	MTO
Finish				
Recoatable				

Quotations on non-standard MTO items

Any design currently available from South African foil merchant catalogues can be processed

Order quantity must consume full rolls - depending on supplier, each roll can yield between 2800m² and 3500m² including 8% waste factor

Procurement process will commence only once firm orders have been received

Order quantities must adhere to pack sizes per line item

Total order will be executed in one run

Deliveries may be spread over a maximum of 60 days

Price and lead time upon quotation and is dependent on foil availability and setup times

Abbreviations:

MTO Make To Order

BisonBord®

BisonBord® sold in pack sizes only

Thickness	Pack size	Sheet sizes & tonnage	Availability	Sheet sizes & tonnage	Availability
		2750mm x 1840mm		3660mm x 1840mm	
12mm	40	1.72 tons	MTS	2.27 tons	MTO
16mm	30	1.59 tons	MTS	2.07 tons	MTS
18mm	30	1.78 tons	MTS	2.35 tons	MTO
22mm	25	1.83 tons	MTS	2.43 tons	MTS
25mm	20	1.61 tons	MTO	2.13 tons	MTO
32mm	15	1.55 tons	MTS	2.04 tons	MTS

BisonBord® MR (E1) Moisture Resistant

BisonBord® MR E1 is made to an E1 specification

BisonBord® MR E1 is an MTO product

BisonBord® MR E1 sold in pack sizes only

Thickness	Pack size	Sheet sizes & tonnage	Availability
		2750mm x 1840mm	
12mm	40	1.72 tons	MTO
16mm	30	1.66 tons	MTS
18mm	30	1.78 tons	MTO

Abbreviations:

- E1 European standard for low formaldehyde emissions
- MR Moisture Resistant
- MTO Make To Order; Minimum run quantities dependent
- MTS Make To Stock

BisonLam®

Super White décor on BisonBord® core

BisonLam® sold in pack sizes only

Thickness	Pack size	Sheet sizes & tonnage	Availability	Sheet sizes & tonnage	Availability
		2750mm x 1840mm		3660mm x 1840mm	
12mm	40	1.84 tons	MTO	2.43 tons	MTO
16mm	30	1.71 tons	MTS	2.20 tons	MTS
18mm	30	1.93 tons	MTS	2.50 tons	MTO
22mm	25	1.88 tons	MTS	2.49 tons	MTO
32mm	15	1.62 tons	MTS	2.15 tons	MTO
Finish				Finish	
Ashwood™				Peen™	
Peen™					

BisonLam® MR (E1) Moisture Resistant

Super White décor on BisonBord® MR E1 core

BisonLam® MR E1 is made to an E1 specification

BisonLam® MR E1 is an MTS product

BisonLam® MR E1 sold in pack sizes only

Thickness	Pack size	Sheet sizes & tonnage	Availability
		2750mm x 1840mm	
16mm	30	1.76 tons	MTS
Finish			
Peen™			

Abbreviations:

- E1 European standard for low formaldehyde emissions
- MR Moisture Resistant
- MTO Make To Order
- MTS Make To Stock; Minimum run quantities dependent

BisonLam[®] Shelving

Super White décor on BisonBord[®] core with white edging strip applied

BisonLam[®] Shelving sold in pack sizes only

Thickness	Pack size	Tonnage	Length	Width	Availability
16mm	30	0.21 tons	1830mm	300mm	MTO
16mm	30	0.26 tons	1830mm	380mm	MTO
16mm	30	0.30 tons	1830mm	455mm	MTO
16mm	30	0.35 tons	1830mm	530mm	MTO
16mm	30	0.39 tons	1830mm	610mm	MTO
16mm	30	0.30 tons	2750mm	300mm	MTO
16mm	30	0.44 tons	2750mm	455mm	MTO
16mm	30	0.50 tons	2750mm	530mm	MTO
16mm	30	0.57 tons	2750mm	610mm	MTO

Abbreviations:

MTO Make To Order

SupaWood®

SupaWood® sold in pack sizes only

Thickness	Pack size	Sheet size & tonnage	Availability	Sheet size & tonnage	Availability
		2750mm x 1840mm		3660mm x 1840mm	
3mm White (S/F)	160	1.42 tons	MTS	n/a	
3mm	160	2.45 tons	MTS	n/a	
6mm	80	2.28 tons	MTS	n/a	
9mm	50	1.98 tons	MTS	n/a	
12mm	40	1.92 tons	MTS	2.54 tons	MTO
16mm	30	1.94 tons	MTS	2.26 tons	MTS
18mm	30	2.16 tons	MTS	2.77 tons	MTO
22mm	25	2.18 tons	MTS	2.81 tons	MTO
30mm	15	1.84 tons	MTS	2.35 tons	MTO

White Single Face (S/F) SupaWood® has white (DecoBord®) laquered paper foil surface

SupaLam®

Super White décor on SupaWood® core

SupaLam® sold in pack sizes only

Thickness	Pack Size	Surface	Sheet sizes & tonnage	Availability
			2750mm x 1840mm	
12mm	40	Double face	2.04 tons	MTO
16mm	30	Single face	2.02 tons	MTS
16mm	30	Double face	2.08 tons	MTS
18mm	30	Double face	2.29 tons	MTO
Finishes				
Peen™				
Natural Touch™				

Ready2Spray SupaWood®

Ready2Spray SupaWood® sold in pack sizes only

Ready2Spray SupaWood® is a Single Face (S/F) white speciality surface with Super White Peen backer

Ready2Spray SupaWood® speciality surface is paint ready, requiring no pre-preparation

Thickness	Pack size	Surface	Sheet sizes & tonnage	Availability
			2750mm x 1840mm	
16mm	30	(S/F) Speciality Surface	2.02 tons	MTO

Abbreviations:

MTO Make To Order

MTS Make To Stock

CUSTOMER SERVICE CENTRE 0860 579 196
JOHANNESBURG 011 897 5200
CAPE TOWN 087 357 7989
DURBAN 087 350 0874
EXPORTS 011 897 5200



pgbison.co.za

PG Bison is a division of KAP Industrial Holdings Ltd
PG Bison is a member of Proudly South African
PG Bison is a member of the Kitchen Specialists Association (KSA)



BBBEE Level 6

 **PG BISON**